

**COMPLIANCE OF ENVIRONMENTAL CLEARANCE CONDITIONS FOR THE PERIOD 1st October, 2023 to 31st March, 2024**

**Project: 'Setting of Rajasthan Refinery Township at Sambhra Village, Pachpadra Tehsil - Barmer, Rajasthan by M/s HPCL Rajasthan Refinery Limited (HRRL).**

**Reference No.:**

- EC letter no.: F1F1(4)/SEIAA/SEAC-Raj/Sectt/Project/Cat.7(d) B1 (15347)/2018-19 dated 03rd May 2019 by State Level environment Impact Assessment Authority, Rajasthan.
- EC amendment letter no.: F1 (4)/SEIAA/SEAC-Raj/Sectt/Project/Cat. 8b(22265)/2021-22; dated: 19.04.2023.

<b>S. No.</b>	<b>Terms and conditions (Part-A-Specific Conditions-Construction Phase)</b>	<b>Compliance</b>
1.	Consent to Establish" Shall be obtained from RPCB before start of any construction work related to proposed project at the site and RSPCB shall ensure from the records/site at the time of grant of CTE/CTO that no violation has been carried out by the PP as per MoEFCC Notification dated 14.03.2017 and 08.03.2018.	Complied. CTE has been obtained from RSPCB vide Letter no. F (MUID) / Barmer (Pachpadra) / 1819 (1) / 2018-2019 / 2415-2417 dated 19/07/2018. Further this extension of CTE is valid for a period from 01/06/2023 to 31/05/2025 (CTE extension letter no. F.14 / Tech / Barmer-32 / RPCB / HBC / 1690-1692; dated: 08.03.2023).
2.	The PP Shall obtain a "NO Objection Certificate" for height clearance for the envisaged level from the Airports Authority of India.	NOC has been renewed by the IAF HQ SWAC vide letter no. SWAC/2564/8/5955/ATS(BM) dated 16th Oct 2023.
3.	No mobile tower shall be installed.	Complied. There is no mobile tower is envisaged in the approved plot plan.
4.	As envisaged the P.P shall invest the an amount of Rs. 86 Lakh as capital cost and Rs. 0.5 Lakh as annual recurring cost for implementing various environmental protection measure.	Complied. As per the EC amendment dated 19th April 2023, Provision of Rs. 120 lakhs as capital cost and Rs. 35.5 Lakhs as recurring cost/annum has been kept for implementing environmental protection measures. The proposed capital expenditure has been utilized for environmental protection measures.

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
5.	<p>An amount of Rs. 1.935 Cr (1.5% of the project cost of 129cr). This amount be sourced from the CER (Corporate Environment Responsibility) allocation of 107.82 Cr (0.25% of the overall project cost of 43129 Cr). As proposed in the PPs letter RP 19/AJ/RRP/46 dated 11.02.2019 is required to be spent over a period of 3 years as CER. The expenditure on these activities shall be reflected in the books of account when presented for auditing of accounts. The proposal should contain provision for toilets for girls in nearby schools. The proposal should contain provision for monthly medical camps, distribution of medicines and improvement in educational facilities in the nearby schools. The detailed action plan of CSR activities shall be submitted by the PP to RSPCB at the time of applying for Consent to Establish/Consent to Operate. During construction phase and post construction / operation phase, the project proponent shall be responsible for implementation of EIA/EMP. Commitment of proponent in this regard shall be submitted to RPCB at the time of applying for CTE/CTO.</p>	<p>Comprehensive action plan including construction of toilets for girls in nearby schools, distribution of medicines, regularly conducting monthly medical camps, etc. has been approved by Government of Rajasthan (GoR) and following is the status:</p> <ul style="list-style-type: none"> <li>• Construction of Toilet Completed and handed over to Senior Secondary School and Primary School in Pachpadra.</li> <li>• Medical camps are periodically conducted. Planned for next two years every two months. 14 Medical Camps Conducted near Sambhra &amp; Pachpadra along with distribution of Medicines,</li> <li>• As a part of improvement in educational facilities school furniture distributed in seven schools and job completed.</li> <li>• Distribution of medicines. Medicines being distributed during medical Camps Conducted near Sambhra &amp; Pachpadra.</li> <li>• Provision for Chinkara (Indian Gazelle) Conservation Plan.: Fund earmarked for Chinkara Conservation deposited to Forest Department.</li> </ul>
6.	<p>Green belt/Landscaping should be developed in 33 % of total plot Area, as proposed.</p>	<p>As per the EC amendment dated 19th April 2023, Green belt Area/ Green cover 17.5 % of the total area of township is taken as per the Govt. of Rajasthan Gazette notification dated 24th Oct 2017 – Minimum green belt area shall be 15% in case of group housing development projects. The total green belt area has been proposed for township is 17.51 hectare.</p> <p>AFRI has completed the Green Belt Study and released Detail Project Report (DPR) to HRRL. The DPR which has been prepared with the details of Green Belt development Plan. The same is submitted to DFO, Barmer (Rajasthan) for necessary action.</p> <p>Job is being handled by Forest department as advised by DC-Balotra during recent review meeting. Forest dept to carry out the work on deposit work based on DPR.</p>

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
7.	That the grant of this E.C. is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry / unit / project proponent. Any appeal against this environmental clearance lies with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted.
8.	For conservation of electricity and to reduce energy losses the management shall ensure that the electrical voltage is stepped down from 33 KV to 11 KV and distributed at this level and finally brought to 440 volts or as per prescribed norms.	Township is receiving 2 nos. 11 kV stepped down supply from Refinery substation. Power is being transported to distribution substations (ESS) at 11 kV and then brought to 440/433V as per prescribed norms.
9.	The PP shall obtain approval of drawings of laying electrical lines from the concerned SE of RRVPNL/ JVVNL and comply with the provisions as per Terms and Conditions for Supply of Electricity - 2004 of JVVNL.	220 KV transmission line is being laid by RVPNL up to Refinery complex and further 11 KV cables from Refinery to Township is being laid by concerned Contractor which is not being received from RVPNL/JDVNL, hence no approval is required.
10.	The PP shall fulfill the requirements of energy regulatory commission.	Complied.
11.	All energy saving measures proposed by the PP should be implemented before the project is put into use.	This is a GRIHA rated project, hence best energy saving practices will be implemented before the project is put into use.
12.	A preventive action plan (as part of conceptual plan) for earthquake resistance buildings as per NBC code specifically for zone 3,4, 5 should be submitted along with the Form 1, Form 1A and conceptual plan to RSPCB at the time of applying for CTE /CTO.	Buildings are designed as per applicable Indian Standards and NBC. The designs are vetted by M/s Engineers India Ltd. for Adequacy and Safety. CTO has been obtained partially from RSPCB for CISF Complex only with vide letter no. F (MUID) / Barmer (Pachpadra) / 1819(1) / 2018-2019 / 3078-3080; dated: 12.10.2022.

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
13.	Road width and bend should be adequate for easy movement of fire fighting vehicles.	Complied.  All Road networks in the township have been designed by considering the easy movement of Fire Fighting vehicles.
14.	Proposals for provisions regarding accessibility to the various floors of the project and other related parts for Divyang people should be provided.	Complied.  Ground floors of all buildings have been designed for Divyang people as access has been provided suitably for Lifts/elevators also. Toilets/Rest rooms have also been suitably designed for physically challenged people.
15.	Details of all the points mentioned at point no. 9 under energy conservation of Form. IA would be explicitly taken care of.	Complied
16.	The P.P. shall ensure taking necessary steps on urgent basis to improve the living conditions of the labor at site. An amount shall be spent as Budgetary provision for the housing of construction labor within the site with all necessary infrastructure and facilities such as health, sanitation, fuel/LPG for cooking, safe drinking water, medical camps, toilets for women and crèche for infants etc. Such housing may be in the form of temporary structures to be removed after the completion of the project. Details of provisions should be submitted to RPCB at the time of obtaining CTE.	Complied.
17.	The PP will comply with the provisions as per the Building and Other Construction Workers (Regulation of Employment & Condition of Service) Act 1996.	Complied.
18.	The STP should be so designed so that it can cater the minimal flow due to lesser occupancy in the project so as to bring the waste water quality as per the prescribed standards.	Complied. There are 3 trains of STP in the township. During periods of lower occupancy, one or two of the trains can be operated.
19.	The drains should be of adequate capacity and be lined till the final disposal points.	Complied.  As per issued Storm water layout at site, the drain channels are

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
		adequately designed for carrying water as per highest rain fall during 50 years.
20.	As proposed, the entire waste water should be discharged through a STP of capacity 0.85 MLD of MBR technology. The construction of the STP should be carried out simultaneously with that of the project and the STP should be functional before the project is put into use. The STP should have a separate hourly meter and energy meter.	Complied.  A STP of 1.53 MLD will be installed within township. Suitable design margin will be considered over this capacity during design. Membrane bio-reactor (MBR) technology shall be used for the proposed STP.  STP will be functional before the township actually starts habitation. The STP will have a flowmeter and energy meter.
21.	The PP shall comply with Construction & Demolition Waste Management Rules, 2016 as applicable	Complied.
22.	All required sanitary and hygienic measures shall be put in place before starting construction activities. The safe disposal of waste water and solid waste generated during the Construction phase shall be ensured.	Complied.
23.	All the laborers engaged for construction shall be screened for health and adequately treated before engaging them to work at the site.	Complied.
24.	All the topsoil excavated during the construction shall be stored for use in horticulture/landscape development within the project site.	Complied.
25.	Disposal of muck during construction phase should only be at approved sites with the approval of competent authority. It should not create any adverse effect on the neighboring communities and be disposed by taking necessary precautions for general safety and health aspects of the people.	Complied.
26.	Soil and ground water samples will be tested to ascertain that there is no threat to the ground water quality by leaching of heavy metals	Baseline data monitoring is being carried out regularly. Base line data

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
	and other toxic contaminants.	monitoring report is enclosed.
27.	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they do not leach into the ground water.	Complied
28.	The diesel generator sets to be used during and post construction phase shall be of low-sulphur diesel type and shall conform to Environment (Protection) Rules for air and noise emission standards.	Noted & complied for construction phase. DG set is not envisaged post construction during detail Engineering, Power back up considered from Refinery Captive Power Plant (CPP) for the proposed township complex. Hence, there is no air emission is envisaged from township after occupancy.
29.	Vehicles hired for bringing construction material and laborers to the site shall be in good conditions and shall conform to applicable air and noise emission standards and shall be operated during non-peak/approved hours.	Complied
30.	Ambient noise levels shall conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase.	Noted & Compliance is being done at the construction site.
31.	Fly ash shall be used as building material in the construction as per the provisions of Fly ash notification of September, 1999 and as amended till date.	Complied. Fly ash bricks used for superstructure of all Buildings.
32.	NOC shall be obtained from National State Disaster Management Authority wherever applicable.	Not Applicable
33.	Provision for proposed storm water harvesting and its re-use as per CGWA and BIS standards for various applications should be implemented before the project is put into use.	Storm water management and rain water harvesting is suitably provided.
34.	Guidelines issued by Concerned Ministry for water scarce areas be followed.	Shall be complied with.

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
35.	Water demand during construction shall be reduced by the use of pre-mixed concrete, curing agents and other best practices. Effort should be made to use treated waste water from nearby areas in place of fresh water.	Complied. Pre-mixed concrete from the batching plan used
36.	Total domestic water requirement shall 1000 KLD in post construction phase, as proposed. The necessary permission of water supply should be submitted to RSPCB at the time of applying for CTE/CTO. At the time of applying for CTE the PP should get it confirmed from RSPCB that no illegal bore well exists in the proposed site.	The raw water consumption for the township is estimated to be approximately 1000 KLD. Raw water will be sourced from Indra Gandhi Canal at Nachna. HRRL has already requested Public Health Engineering Department (PHED), Jodhpur to supply water. Treated STP water shall be recycled for flushing purpose to minimize the fresh water demand for the township post construction phase. There is no bore well at the proposed township site.
37.	Building Plan should be got approved from the competent Authority and the construction should be as per the approved building plan and as per applicable provisions in NBC.	Complied. Building plan was approved by DC, Barmer. Approved plan copies are available at site. Building plan is complied with NBC provisions.
38.	The P.P. should ensure compliance of the order of the Hon'ble Rajasthan High Court. Jodhpur in D. B. Civil writ petition no. 1536 of 2003 in the matter of Abdul Rahman vs. State of Rajasthan and others. The PP shall not allow making of any obstacle in the way of any natural water course/natural nallaha/stream carrying rain water to any water body. Adequate measures shall be taken to reduce air and noise pollution during construction as per CPCB norms.	Complied. As per approved Master plan, existing water body shall be preserved and will be part of landscape element.
39.	Fixtures for showers, toilet flushing and drinking shall be of low flow either by use of aerators of pressure reducing devices or sensor based control.	Complied. Low flow fixtures used as per GRIHA requirement.
40.	Use of glass may be reduced by up to 40% to reduce the electricity consumption and load in air Conditioning. If necessary, use high quality double glass with special reflective coating windows.	Complied. This is a GRIHA rated Project, Low E glasses are used.

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
41.	Roofing should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Complied Over deck thermal cum water proofing is provided at terrace.
42.	Opaque walls shall meet prescriptive requirement as per Energy Conservation Building Code for all air-conditioned spaces, whereas, for non- air-conditioned spaces, by use of appropriate thermal insulation material to fulfill the requirement.	Complied Building envelope designed as per GRIHA-LD requirement.
43.	Provision of solar water heating/chilling/street lighting etc. shall be explored and implemented.	Solar street lightings have already been considered. Solar water heating is not considered because of its reduced efficiency. Instead, we are utilizing that space for solar PV panels.
44.	A first-aid room should be provided at the project site, both, during construction and operation phase of the project.	Complied.
45.	Any hazardous waste generated during construction phase shall be disposed of as per applicable rules and norms with necessary authorization of the RPCB.	Complied. No hazardous waste generated.
46.	The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of firefighting equipment, etc. as per National Building Code 2005 including protection measures from lightening etc.	Complied.
47.	Regular supervision of the above and other measures for monitoring shall be in place throughout the construction phase, so as to avoid nuisance to the surroundings.	Complied.
48.	The project proponent shall fulfill in letter and spirit, all the commitments made /submitted to the SEAC office.	Noted & shall be complied with.
49.	The Company shall provide stacks of adequate height to the along with acoustic enclosures for noise control as per CPCB guidelines, The DG Sets shall comply with the norms notified under - Environment (Protection) Act, 1986.	There are no DG sets envisaged in township.
50.	The PP shall obtain all requisite permissions/ approvals/clearances	Complied.



S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
	from concerning departments and district administration relating to project.	Fire NOC is obtained. Completion certificate is obtained for CISF Block from DC Barmer. Application for OC is applied for Main Township.
51.	The PP shall procure required fresh water only from the authorized and legal source after approval from the competent Authority and such procurement of water shall be informed to RSPCB at time of applying for CTE/CTO.	Presently fresh water is received through waster tanker. Finally fresh water shall be received from IG Canal.
52.	The PP shall provide water flow meter at all suitable points to measure quantity of daily water consumption. Besides PP shall also provide water flow meters at waste water generation points, treated waste water, waste water recycled and utilized for plantation/gardening purposes. The daily record of this should be maintained properly in a logbook.	Currently water is taken through water tanker. Main line flow meter will be provided during commissioning of mainline.  STP detail flow meters are as : STP Inlet(Train A/B/C) FI available STP treated water to Irrigation header STP treated water to Flushing header/Flush tank
53.	The PP shall dispose of the sludge of STP in Scientific manner.	Sludge of STP shall be used as soil conditioning / manure within township.
54.	The PP shall make compliance of the standards, for Noise and National Ambient Air Quality, as Prescribed under the Environment (Protection) Act 1986.	Noted & shall be complied with.
55.	The total waste water generation will be utilized and disposed as proposed.	Treated STP discharge/effluent shall be totally recycled and used for green belt development/gardening inside township.
56.	The PP shall not discharge treated waste water in to any natural water flow or in to any water body but make efforts to utilize maximum of the treated effluent within the premises of the project.	Treated water shall be used for flushing and irrigation.
57.	The PP shall ensure that solid waste generated should be properly collected & segregated. Wet garbage should be composed and dry/inert solid waste should be disposed-off to approved sites for land filling after recovering recyclable material.	All solid wastes mostly domestic waste generated in the township shall be properly segregated, stored, treated and disposed as per the guidelines for Solid Waste Management- Segregation, Collection and Utilization at Household/ Community Levels, 2016.

S. No.	Terms and conditions (Part-A-Specific Conditions-Construction Phase)	Compliance
58.	The CF's/FL's / E-Waste should be properly collected and disposed-off/ sent for recycle as per the prevailing rules / guidelines issued by the regulatory authority. Use of solar panel also may be done to the possible extent.	All CFL/E-waste shall be properly segregated, stored, treated and disposed as per the regulatory guidelines.
59.	The adequate measure should be taken to prevent odour problem from STP.	Complied. STP is constructed as per the latest technologies (MBR) and every effort is made to control odour from the same.
60.	The PP should obtain prior Consent to Operate before commissioning of the project or handed over to the occupier.	Partially Complied. Consent to Operate (CTO) has been obtained from Rajasthan State Pollution Control Board vide letter no. F (MUID) / Barmer (Pachpadra) / 1819(1) / 2018-2019/ 3078-3080 dated: 12.10.2022 for CISF Complex (Part of Township) and it is operational now. CTO application of remaining Township & Water Reservoir has been applied.
61.	The PP shall provide and maintain the O&G trap in good condition, so that the O&G coming Waste Water from Kitchen/laundry should retain in trap.	Complied.  O&G trap is provided to retain oil & grease for kitchen outlet.

S.No.	Terms and conditions (Part-B-Specific Conditions-Operations Phase)	COMPLIANCE
1.	An independent expert shall certify the installation of the Sewage. Treatment Plants (STP) and a report in this regard shall be submitted to the RPCB, before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms & standards prescribed under the Environment (Protection) Act 1986 or the standards laid down by the Rajasthan State Pollution Control Board.	Complied.STP has been checked & certified by M/S EIL vide letter no:RRP/ES-HRRS/B224/L/23743. Samples from the STP is collected and tested.
2.	Adequate measures shall be taken to prevent odour from solid waste processing and STP.	Complied.  STP is constructed as per the latest approved technologies (MBR) and every effort shall be done to control maximum odour from the same.
3.	Proper system of channelizing excess storm water shall be provided.	Complied.  As per issued Storm water layout at site, the drain channels are adequately designed for carrying water as per highest rain fall during 50 years.
4.	Rain water harvesting (RWH) for roof top run - off and surface run - off, as planned shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The Rain Water Harvesting plan shall be as per Gol Manual.	Complied.  Rain water harvesting (RWH) for roof top run - off and surface run – off is provided as planned.
5.	The proposals on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency shall be implemented.	This is a GRIHA rated project hence best energy saving practices as per BEE will be implemented.
6.	The power factor shall be maintained near unity.	The same will be complied. Power factor correction banks have been considered.
7.	Application of solar energy shall be incorporated for illumination of common areas, lighting for gardens and street	Solar street lightings have already been considered. Solar water heating is not considered because of its reduced efficiency. Instead, we are utilizing

S.No.	Terms and conditions (Part-B-Specific Conditions-Operations Phase)	COMPLIANCE
	lighting in addition to provisions for solar water heating. A hybrid system or fully solar system for a portion of the apartments shall be provided.	that space for solar PV panels.
8.	The parking place shall have separate entry and exit points. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking shall be fully internalized and no public space shall be utilized.	Complied. Parking is provided along the road in allotted parking area.
9.	Regular and periodic mock drills shall be undertaken by the fire department at least once in a year.	Shall be complied with.
10.	The D. G. sets to be operated with stack height as per EP Act. 1986 along with acoustic enclosure.	As per EC amendment dated 19th April 2023, No DG set is envisaged.
11.	Incremental pollution loads on the ambient air quality noise and water quality shall periodically monitored after commissioning of the project and report to be submitted to RPCB.	Ambient air quality, noise and water parameters will be periodically monitored and the report will be submitted to RSPCB.
12.	The solid waste generated shall be properly collected & segregated before disposal to the Municipal Facility. The in - vessel bio - conversion technique may be used for composting the organic waste.	Noted. All solid waste shall be properly segregated, stored, treated and disposed as per the guidelines/ waste management rules.
13.	Any hazardous waste including biomedical waste shall be disposed of as per applicable rules and norms with necessary approvals of the Rajasthan State Pollution Control Board.	Noted. No bio-medical waste is being generated in Township.
14.	The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The proposed open space inside the plot shall be suitably landscaped and covered with vegetation of indigenous species.	Shall be complied with.

S.No.	Terms and conditions (Part-B-Specific Conditions-Operations Phase)	COMPLIANCE
15.	Local species of trees and shrubs shall be planted to allow habitat for birds with adequate distance from the boundary.	Shall be complied with.
16.	The SEIAA, Rajasthan reserved the right to add new conditions, modify /annual any condition and / or to revoke the clearance if implementation of any of the aforesaid condition / other stipulations imposed by competent authorities is not satisfactory. Six monthly compliance status report of the project along with implementation of environmental measures shall be submitted to MoEF, Regional Office, Lucknow, SEIAA, Rajasthan & RPCB Jaipur.	Noted & shall be complied with.
17.	The PP shall provide adequate and proper compost pit for utilization of all the leaf litter and ensure that such waste should not be burnt.	Shall be complied with.

S.No.	Terms and conditions (Part-C-General Conditions)	COMPLIANCE
1.	That the grant of this E.C. is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time-being in Force, rests with the industry / unit / project proponent. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, Within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted.
2.	No further expansion or modifications in the project shall be carried out without prior approval of the SEIAA/Ministry of Environment and Forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this Authority for clearance, a fresh reference shall be made to the Authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted.
3.	The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEFCC Regional Office at Lucknow / RSPCB / CPCB / SEIAA, Department of Environment, Government of Rajasthan, Jaipur and this office. A six monthly compliance status report shall be submitted to monitoring agencies.	Shall be complied with. Six monthly Compliance status reports is being regularly submitted to Monitoring agencies as per the requirement. The last compliance report for the period April 2023 to September 2023 was submitted to all statutory authorities on Dec 1st 2023, and the same has been uploaded at HRRL website with following link. <a href="https://www.hrri.in/ec_compliance_report">https://www.hrri.in/ec_compliance_report</a>
4.	The project authorities shall inform the MoEFCC Regional Office at Lucknow / RSPCB / CPCB / SEIAA Department of	Final approval of the project from MoPNG has been obtained on 9th October 2017. Financial closure was completed on 28th January 2019. Date

	Environment, Government of Rajasthan, Jaipur and the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	of start of the project: 16th January 2018.
5.	Officials from the Department of Environment, Government of Rajasthan, Jaipur/ Regional Office of MOEF, Lucknow, RSPCB who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to SEIAA should be forwarded to the CCF. Regional Office of MoEF. Lucknow / SEIAA, Department of Environment, Government or Rajasthan, Jaipur / RSPCB.	Shall be complied with.
6.	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary. And to take action including revoking of the environment clearance under the provision of the Environment (Protection) Act. 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Noted.
7.	The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental Clearance and copies of clearance letters are available with the Rajasthan State Pollution Control Board and may also be seen on the website of the RSPCB. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the	Complied.

	same should be forwarded to the Regional Office of MoEF at Lucknow/Department of Ecology and Environment, Government of Rajasthan, Jaipur.	
8.	These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974. The Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, along with their amendments and rules.	Noted.
9.	The E.C. is subjected to the specific condition that the PP shall obtain prior clearance from forestry and wild life angle including clearance from standing committee of National Board of Wild Life(as applicable). It is further categorically stated that grant of EC does not necessary implies that Forestry and Wild Life clearance shall be granted to the project and that proposals for forestry and wild life clearance will be considered by the respective authorities on their merits and decision taken. The investment made in the project, if any based on EC so granted, in anticipation of clearance from Forestry and Wild Life angle shall be entirely at the cost risk of the PP and MOEF/SEIAA shall not be responsible in this regard in any manner.	Noted.
10.	The SEIAA, Rajasthan may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
11.	Periodic monitoring of ambient air quality shall be carried out for PM 10, PM2.5, SPM, SO2 and NOX monitoring. Location of	Shall be complied with. Six monthly monitoring data is being submitted



	the stations (Minimum 6) shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring shall be decided in consultation with the Rajasthan State pollution Control Board (RPCB). Six monthly reports of the data so collected shall be regularly submitted to the RPCB/CPCB including the MOEF, Regional office, Lucknow.	along with this compliance report to RSPCB/CPCB and MoEFCC-RO.
12.	Personnel working in dusty areas shall wear protective respiratory devices they shall also be provided with adequate training and information on safety and health aspects.	Complied
13.	The environmental statement for each financial year ending 31st March in Form-V shall be submitted to the Rajasthan State Pollution Control Board/SEIAA as prescribed under the environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Lucknow Regional offices of MOEF, SEIAA by e- mail as well as hard copy dually signed by competent person of company.	Shall be complied with.